



CERONE

Version 10 / GB
10200001937

1/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name CERONE
Product code (UVP) 05927242
UFI 3GS0-E0G5-X002-C64S (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Growth regulator

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

FOR IRELAND & NORTHERN IRELAND: Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
Co. Dublin
A94 H2K7
Ireland

Telephone +353 1 216 3300

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr) (not available on non-contract mobile phones)

For Medical Professionals: You can also contact the relevant NPIS.
For Members of the Public: You can also contact NHS111 (for GB) or your local GP (for Northern Ireland).

National Poisons Information Centre Dublin +353-1-809 2166 (available from 8 am to 10 pm every day)



CERONE

Version 10 / GB
10200001937

2/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Corrosive to metals: Category 1

H290 May be corrosive to metals.

Serious eye damage: Category 1

H318 Causes serious eye damage.

Chronic aquatic toxicity: Category 2

H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Ethephon



Signal word: Danger

Hazard statements

H290 May be corrosive to metals.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/ physician.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Ethephon: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission

**CERONE**Version 10 / GB
102000001937

3/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Soluble concentrate (SL)
Ethephon 480 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Ethephon	16672-87-0	Aquatic Chronic 2, H411 Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 4, H302 Acute Tox. 4, H332 Acute Tox. 4, H332 Acute Tox. 3, H311 Skin Corr. 1, H314 Skin Corr. 1C, H314 Aquatic Chronic 2, H411	40.00
2-Butoxyethanol	111-76-2	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Acute Tox. 4, H332 Acute Tox. 4, H302	> 1.00 – < 3.00

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest.



CERONE

Version 10 / GB
102000001937

4/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

Skin contact	Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Do NOT induce vomiting. Keep at rest. Rinse mouth. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, Burns on skin and mucosal tissues Systemic:, Gastro-intestinal irritation, This product causes reversible cholinesterase inhibition without long term effects.
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	Must NOT be confused with organophosphorus compounds!
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote. Contraindication: atropine.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Foam, Carbon dioxide (CO ₂), Dry powder
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Carbon monoxide (CO), Nitrogen oxides (NO _x), Oxides of phosphorus, Hydrogen chloride (HCl)
--	--

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
Further information	Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.
--------------------	--

**CERONE**Version 10 / GB
102000001937

5/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

- 6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
- 6.3 Methods and materials for containment and cleaning up**
- Methods for cleaning up** Recover the product by pumping, suction or absorption using a dry and inert absorbent clay. Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.
- Additional advice** Check also for any local site procedures.
- 6.4 Reference to other sections** Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

- Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.
- Advice on protection against fire and explosion** Keep away from heat and sources of ignition.
- Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Remove contaminated clothing immediately and dispose of safely. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers** Store in original container. Store in a place accessible by authorized persons only. Keep containers tightly closed in a cool, well-ventilated place. Protect from freezing. Keep away from direct sunlight.
- Advice on common storage** Keep away from food, drink and animal feedingstuffs.
- Suitable materials** HDPE (high density polyethylene)
- 7.3 Specific end use(s)** Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Ethephon	16672-87-0	1.4 mg/m ³ (TWA)		OES BCS*
2-Butoxyethanol	111-76-2	123 mg/m ³ /25 ppm (TWA)	12 2011	EH40 WEL

**CERONE**Version 10 / GB
10200001937

6/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

2-Butoxyethanol	111-76-2	246 mg/m ³ /50 ppm (STEL)	01 2020	EH40 WEL
-----------------	----------	---	---------	----------

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Biological occupational exposure limits

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
2-Butoxyethanol	111-76-2	Butoxyacetic acid	Creatinine in urine	Sampling time: End of shift.	240 mmol/mol	UKEH40BMG V

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material Nitrile rubber

Rate of permeability > 480 min

Glove thickness > 0.4 mm

Protective index Class 6

Directive Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent) and faceshield (conforming to EN166, Field of Use = 3 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**CERONE**Version 10 / GB
102000001937

7/13

Revision Date: 23.12.2023
Print Date: 12.01.2024**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Form	Liquid
Colour	colourless to brown
Odour	No data available
Odour Threshold	No data available
Melting point/range	No data available
Boiling point/boiling range	100 °C
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	Not relevant; aqueous solution
Auto-ignition temperature	> 600 °C
Thermal decomposition	250 - 400 °C The value mentioned relates to the active ingredient.
Self-accelarating decomposition temperature (SADT)	No data available
pH	<= 1.8 (1 %) (23 °C) (deionized water)
Viscosity, dynamic	No data available
Viscosity, kinematic	2.52 mm ² /s (40 °C)
Water solubility	miscible
Partition coefficient: n-octanol/water	Ethephon: log Pow: -1.89
Surface tension	37.9 mN/m (20 °C) Determined as a 1% solution in distilled water.
Vapour pressure	No data available
Density	ca. 1.20 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available

9.2 Other information

**CERONE**Version 10 / GB
10200001937

8/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

Explosivity	No data available
Oxidizing properties	No data available
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions. Corrodes metals in the presence of water or moisture. Risk of ethylene emission in case of increasing pH.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Metals
10.6 Hazardous decomposition products	Gaseous hydrocarbons that may form explosive mixtures with air. Hydrogen chloride formation.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008**

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	Not relevant During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg ATE (Mix) (Rabbit) > 2,000 mg/kg Calculation method
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	Risk of serious damage to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing.
Assessment STOT Specific target organ toxicity – single exposure	

**CERONE**Version 10 / GB
102000001937

9/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

Ethephon: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Ethephon did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Ethephon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Ethephon was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Ethephon did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Ethephon did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates

(Daphnia magna (Water flea)) > 721 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient.

Toxicity to aquatic plants

EC50 (Desmodesmus subspicatus (green algae)) 98 mg/l
Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)) > 1.6 mg/l
Exposure time: 14 d
The value mentioned relates to the active ingredient ethephon.

EC10 (Lemna gibba (gibbous duckweed)) 0.21 mg/l
The value mentioned relates to the active ingredient ethephon.

12.2 Persistence and degradability**Biodegradability**

Ethephon:
Not rapidly biodegradable



CERONE

Version 10 / GB
102000001937

10/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

Koc Ethephon: Koc: 2540

12.3 Bioaccumulative potential

Bioaccumulation Ethephon:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Ethephon: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Ethephon: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.
Return large containers to supplier.
Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3265
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON SOLUTION)
14.3 Transport hazard class(es)	8
14.4 Packaging Group	III

**CERONE**Version 10 / GB
10200001937

11/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

14.5 Environm. Hazardous Mark	YES
Hazard no.	80
Tunnel Code	E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3265
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON SOLUTION)
14.3 Transport hazard class(es)	8
14.4 Packaging Group	III
14.5 Marine pollutant	YES
Segregation group according to 5.4.1.5.11.1	IMDG SEGREGATION GROUP 1 - ACIDS

IATA

14.1 UN number	3265
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON SOLUTION)
14.3 Transport hazard class(es)	8
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3265
14.2 Proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON SOLUTION)
14.3 Transport hazard class(es)	8
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2X

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

**CERONE**Version 10 / GB
10200001937

12/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association

**CERONE**Version 10 / GB
102000001937

13/13

Revision Date: 23.12.2023
Print Date: 12.01.2024

IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--