## FANDANGO

Version 5 / GB 102000025822 1/14 Revision Date: 12.12.2024 Print Date: 22.01.2025

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Trade name	FANDANGO
Product code (UVP)	80485182, 89883180
UFI	MEC0-G0JU-C00U-T9JY (for Northern Ireland only)
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Use	Fungicide
1.3 Details of the supplier of Supplier	<b>the safety data sheet</b> Bayer CropScience Limited 230 Cambridge Science Park Milton Road CB4 0WB Cambridge United Kingdom
Telephone	+44(0)1223 226500
Telefax	+44(0)1223 426240
FOR IRELAND & NORTHERN IRELAND:	Bayer CropScience Ltd Bayer Ltd 1st Floor, The Grange Offices The Grange, Brewery Road Stillorgan Co. Dublin A94 H2K7 Ireland
Telephone	+353 1 216 3300
Responsible Department	Email: gb-bcs-crop-regulatory-affairs@bayer.com
1.4 Emergency telephone no	<b>.</b>
Emergency telephone no.	0330 678 3382 (24 hr)
	For Medical Professionals: You can also contact the relevant NPIS.
	For Members to the Public: You can contact NHS111 (for GB) or your local GP (for Northern Ireland)
	National Poisons Information Centre UK: 0344 892 0111 National Poisons Information Centre Dublin: +353 1 809 2166

## FANDANGO

Version 5 / GB 102000025822 2/14 Revision Date: 12.12.2024 Print Date: 22.01.2025

## **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

## Acute toxicity: Category 4

H332 Harmful if inhaled.

Serious eye damage: Category 1 H318 Causes serious eye damage.

Short-term (acute) aquatic hazard: Category 1 H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1 H410 Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

## Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

## Hazardous components which must be listed on the label:

- Prothioconazole
- Fluoxastrobin

## Signal word: Danger

## Hazard statements

H332	Harmful if inhaled.
H318	Causes serious eye damage.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
EUH208	Contains 2-[2-(1-chlorocyclopropyl)-2-hydroxy-3-phenylpropyl]-2,4-dihydro-3H-1,2,4- triazole-3-thione. May produce an allergic reaction.

## **Precautionary statements**

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
+ P338	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/ physician.
P410	Protect from sunlight.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### 2.3 Other hazards

FANDANGO	3/14
Version 5 / GB	Revision Date: 12.12.2024
102000025822	Print Date: 22.01.2025

No additional hazards known beside those mentioned.

Fluoxastrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 2-Ethylhexanol propylene ethyleneglycol ether: Not applicable

Ecological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Toxicological information:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

### Chemical nature

Emulsifiable concentrate (EC) Fluoxastrobin 100 g/l; Prothioconazole 100 g/l

#### Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. /	Classification	Conc. [%]
	EC-No. / REACH Reg. No.	REGULATION (EC) No 1272/2008	
Fluoxastrobin	361377-29-9	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.10
Prothioconazole	178928-70-6	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	9.10
2-Ethylhexanol propylene ethyleneglycol ether	64366-70-7	Acute Tox. 4, H332 Aquatic Chronic 3, H412	>= 1 - < 20
Alkylarylpolyglycol ether	104376-75-2	Aquatic Chronic 3, H412	>= 1 - < 25
methyl-5-(dimethylamino)- 2-methyl-5-oxopentanoate	1174627-68-9 01-2119497421-36-xxxx	Eye Irrit. 2, H319	> 10

## Further information

	Fluoxastrobin	361377-29-9	M-Factor: 1 (acute), 1 (chronic)
--	---------------	-------------	----------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **Particle characteristics**

This substance/ mixture does not contain nanoforms

## FANDANGO

Version 5 / GB 102000025822 **4/14** Revision Date: 12.12.2024 Print Date: 22.01.2025

## **SECTION 4: FIRST AID MEASURES**

4.1 Description of first aid measures		
General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.	
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.	
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	No symptoms known or expected.	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.	

## **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media	
Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

FANDANGO	5/14
Version 5 / GB	Revision Date: 12.12.2024
102000025822	Print Date: 22.01.2025

## SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures		
Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.	
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

## **SECTION 7: HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

Advice on safe handling	No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.	
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.	
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).	
7.2 Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.	
Advice on common storage	Keep away from food, drink and animal feedingstuffs.	
7.3 Specific end use(s)	Refer to the label and/or leaflet.	

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## FANDANGO

Version 5 / GB 102000025822 6/14 Revision Date: 12.12.2024 Print Date: 22.01.2025

Components	CAS-No.	Control parameters	Update	Basis
Fluoxastrobin	361377-29-9	0.42 mg/m3 (TWA)		OES BCS*
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## 8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	(protection factor 10) confor Respiratory protection shou short duration activities, wh been taken to reduce expos	anic vapours and gas filter mask rming to EN140 type A or equivalent. Ild only be used to control residual risk of en all reasonably practicable steps have sure at source e.g. containment and/or vays follow respirator manufacturer's ing and maintenance.
Hand protection	breakthrough time which ar Also take into consideration the product is used, such as contact time. Wash gloves when contami inside, when perforated or v	ions regarding permeability and e provided by the supplier of the gloves. In the specific local conditions under which is the danger of cuts, abrasion, and the inated. Dispose of when contaminated when contamination on the outside cannot requently and always before eating, the toilet. Nitrile rubber > 480 min > 0.4 mm Class 6 Protective gloves complying with EN 374.
Eye protection		to EN166, Field of Use = 5 or equivalent) to EN166, Field of Use = 3 or
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.	

## FANDANGO

Version 5 / GB 102000025822 7/14 Revision Date: 12.12.2024 Print Date: 22.01.2025

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Form	Liquid, clear to slightly turbid
Colour	yellow to brown
Odour	aromatic
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	No data available
Flammability	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	144.5 °C (1,013 hPa),
Auto-ignition temperature	No data available
Ignition temperature	405 °C
<b>.</b>	
Self-accelarating decomposition temperature (SADT)	No data available
pH	4.0 - 5.5 (1 %) (23 °C) (deionized water)
Viscosity, dynamic	No data available
Viscosity, kinematic	156 mm²/s (20 °C) Shear rate of 100/sec
	520 mm²/s (40 °C) Shear rate of 100/sec
Water solubility	No data available
Partition coefficient: n- octanol/water	Fluoxastrobin: log Pow: 2.86 (20 °C)
	Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)
	2-Ethylhexanol propylene ethyleneglycol ether: No data available
Surface tension	31 mN/m (25 °C) Determined in the undiluted form.
Vapour pressure	No data available
Density	1.10 g/cm³ (20 °C)
Relative density	No data available
Relative vapour density	No data available

## 9.1 Information on basic physical and chemical properties

FANDANGO	8/14
Version 5/GB	Revision Date: 12.12.2024
102000025822	Print Date: 22.01.2025

Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Explosivity	Not explosive
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity 10.2 Chemical stability	Stable under normal conditions. Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) >2,500 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	LC50 (Rat) 0.91 - 5.03 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.
Acute dermal toxicity	LD50 (Rat) >4,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	Risk of serious damage to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Test conducted with a similar formulation.

## FANDANGO

Version 5 / GB 102000025822 **9/14** Revision Date: 12.12.2024 Print Date: 22.01.2025

## Assessment STOT Specific target organ toxicity - single exposure

Fluoxastrobin: Based on available data, the classification criteria are not met. Prothioconazole: Based on available data, the classification criteria are not met. 2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

## Assessment STOT Specific target organ toxicity – repeated exposure

Fluoxastrobin did not cause specific target organ toxicity in experimental animal studies. Prothioconazole did not cause specific target organ toxicity in experimental animal studies. 2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

## Assessment mutagenicity

Fluoxastrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

2-Ethylhexanol propylene ethyleneglycol ether is not considered mutagenic.

## Assessment carcinogenicity

Fluoxastrobin was not carcinogenic in lifetime feeding studies in rats and mice.

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

## Assessment toxicity to reproduction

Fluoxastrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluoxastrobin is related to parental toxicity. Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

2-Ethylhexanol propylene ethyleneglycol ether: Based on available data, the classification criteria are not met.

## Assessment developmental toxicity

Fluoxastrobin did not cause developmental toxicity in rats. Fluoxastrobin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Fluoxastrobin are related to maternal toxicity.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

2-Ethylhexanol propylene ethyleneglycol ether: This information is not available.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## **Further information**

No further toxicological information is available.

## 11.2 Information on other hazards

## Endocrine disrupting properties

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## FANDANGO

Version 5 / GB 102000025822 **10/14** Revision Date: 12.12.2024 Print Date: 22.01.2025

## SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 2.19 mg/l static test; Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 1.67 mg/l static test; Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 11.5 mg/l Growth rate; Exposure time: 72 h
	NOEC (Raphidocelis subcapitata (freshwater green alga)) 0.096 mg/l Growth rate; Exposure time: 72 h
	ErC50 (Skeletonema costatum) 0.03278 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
	EC10 (Skeletonema costatum) 0.01427 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
12.2 Persistence and degrada	ability
Biodegradability	Fluoxastrobin: Not rapidly biodegradable Prothioconazole: Not rapidly biodegradable 2-Ethylhexanol propylene ethyleneglycol ether: Not readily biodegradable.
Кос	Fluoxastrobin: Koc: 424 - 1582 Prothioconazole: Koc: 1765 2-Ethylhexanol propylene ethyleneglycol ether:No data available
12.3 Bioaccumulative potenti	al
Bioaccumulation	Fluoxastrobin: Bioconcentration factor (BCF) 52 Does not bioaccumulate. Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. 2-Ethylhexanol propylene ethyleneglycol ether: No data available
12.4 Mobility in soil	
Mobility in soil	Fluoxastrobin: Slightly mobile in soils Prothioconazole: Slightly mobile in soils 2-Ethylhexanol propylene ethyleneglycol ether: No data available
12.5 Results of PBT and vPvI	3 assessment
PBT and vPvB assessment	Fluoxastrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

11/14
on Date: 12.12.2024
int Date: 22.01.2025
<u>r</u>

	very persistent and very bioaccumulative (vPvB). Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). 2-Ethylhexanol propylene ethyleneglycol ether: Not applicable	
12.6 Endocrine disrupting properties		
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
12.7 Other adverse effects		
Additional ecological information	No other effects to be mentioned.	

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
Contaminated packaging	Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times. Add washings to sprayer at time of filling. Dispose of empty and cleaned packaging safely. Follow advice on product label and/or leaflet.

## **SECTION 14: TRANSPORT INFORMATION**

ADR/RID/ADN	
14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
	(FLUOXASTROBIN, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG	
14.1 UN number	3082

FANDANGO Version 5 / GB 102000025822	<b>12/14</b> Revision Date: 12.12.2024 Print Date: 22.01.2025
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOXASTROBIN, PROTHIOCONAZOLE SOLUTION)
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant	9 III YES
IATA 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environm. Hazardous Mark	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOXASTROBIN, PROTHIOCONAZOLE SOLUTION) 9 III YES
UK 'Carriage' Regulations 14.1 UN number 14.2 Proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environm. Hazardous Mark Emergency action code	<b>3082</b> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUOXASTROBIN, PROTHIOCONAZOLE SOLUTION) 9 III YES 3Z

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

## **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

### Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

### Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677) EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

## FANDANGO

Version 5 / GB 102000025822 **13/14** Revision Date: 12.12.2024 Print Date: 22.01.2025

Control of Pesticide Regulations 1986 Dangerous Substances and Explosive Atmospheres Regulations 2002

## Waste Treatment

Environmental Protection Act 1990, Part II Environmental Protection (Duty of Care) Regulations 1991 The Waste Management Licensing Regulations 1994 (as amended) Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94) Water Resources Act 1991 Anti-Pollution Works Regulations 1999

## **Further information**

WHO-classification: III (Slightly hazardous)

## **SECTION 16: OTHER INFORMATION**

### Text of the hazard statements mentioned in Section 3

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x $\acute{N}$
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level

FANDANGO	14/14
Version 5 / GB	Revision Date: 12.12.2024
102000025822	Print Date: 22.01.2025

OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.