



INCELO

Version 1 / GB
102000030357

1/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name INCELO
Product code (UVP) 84422045
UFI CUV0-50DN-V00C-5GV9 (for Northern Ireland only)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide
Restrictions on use See product label for restrictions.

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
CB4 0WB Cambridge
United Kingdom

Telephone +44(0)1223 226500

Telefax +44(0)1223 426240

FOR IRELAND & NORTHERN IRELAND: Bayer CropScience Ltd
Bayer Ltd
1st Floor, The Grange Offices
The Grange, Brewery Road
Stillorgan
Co. Dublin
A94 H2K7
Ireland

Telephone +353 1 216 3300

Responsible Department Email: gb-bcs-crop-regulatory-affairs@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 0330 678 3382 (24 hr)

For Medical Professionals:
You can also contact the relevant NPIS.

For Members to the Public:
You can contact NHS111 (for GB) or your local GP (for Northern Ireland)

National Poisons Information Centre UK: 0344 892 0111
National Poisons Information Centre Dublin: +353 1 809 2166



INCELO

Version 1 / GB
102000030357

2/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Eye irritation: Category 2

H319 Causes serious eye irritation.

Short-term (acute) aquatic hazard: Category 1

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard: Category 1

H410 Very toxic to aquatic life with long lasting effects.

Classification according to specific UK regulations:

Serious eye damage, Skin irritation, Long-term (chronic) aquatic hazard: Category 1

H318 Causes serious eye damage.

H315 Causes skin irritation.

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Mesosulfuron-methyl
- Thiencarbazone-methyl
- Mefenpyr-diethyl



Signal word: Danger

Hazard statements

H318 Causes serious eye damage.

H315 Causes skin irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water/ soap.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/ physician.



INCELO

Version 1 / GB
102000030357

3/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

P321	Specific treatment (see supplemental first aid instructions on this label).
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

No additional hazards known beside those mentioned.

Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Thiencarbazon-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Polyarylphenylether sulfate, ammonium salt: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Water dispersible granules (WG)

Mesosulfuron-methyl 4,5 %; Thiencarbazon-methyl 1,5 %, Mefenpyr-diethyl 11,25 %

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Mesosulfuron-methyl	208465-21-8	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	4.5
Thiencarbazon-methyl	317815-83-1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1.5
Mefenpyr-diethyl	135590-91-9 01-2119480146-39-0000	Aquatic Chronic 2, H411	11.25
Reaction product of	1322-93-6	Acute Tox. 4, H302	> 1 – < 10



INCELO

Version 1 / GB
102000030357

4/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

naphthalene, propan-2-ol, sulfonated and neutralized by caustic soda	01-2119969954-16-XXXX	Acute Tox. 4, H332 Eye Dam. 1, H318 STOT SE 3, H335	
Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	> 25
cPoly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt	119432-41-6	Aquatic Chronic 3, H412	> 2.5 – < 25
Synthetic amorphous silica	112926-00-8 01-2119379499-16-XXXX	Not classified	> 1.0

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move the victim to fresh air and keep at rest. Place and transport victim in stable position (lying sideways). Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.



INCELO

Version 1 / GB
102000030357

5/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides, Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Use personal protective equipment. Ensure adequate ventilation. Avoid contact with spilled product or contaminated surfaces.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment. Avoid dust formation. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling



INCELO

Version 1 / GB
102000030357

6/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Suitable materials HDPE (high density polyethylene)
Coex HDPE/EVOH
Coex HDPE/PA
Aluminium composite film (min. 0,007 mm Aluminium)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Mesosulfuron-methyl	208465-21-8	10 mg/m3 (TWA)		OES BCS*
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Synthetic amorphous silica (Inhalable dust.)	112926-00-8	6 mg/m3 (TWA)	2007	EH40 WEL
Synthetic amorphous silica (Respirable dust.)	112926-00-8	2.4 mg/m3 (TWA)	2007	EH40 WEL
Synthetic amorphous silica (Inhalable dust.)	112926-00-8	10 mg/m3 (TWA)	01 2020	EH40 WEL
Synthetic amorphous silica (Respirable dust.)	112926-00-8	4 mg/m3 (TWA)	01 2020	EH40 WEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Wear respirator with a particle filter mask (protection factor 4) conforming to European Norm EN149FFP1 or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have



INCELO

Version 1 / GB
102000030357

7/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	water-dispersible granules
Colour	brown
Odour	odourless
Odour Threshold	No data available
Melting point/ range	No data available
Boiling Point	Not applicable
Flammability	does not ignite
Upper explosion limit	Not applicable
Lower explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	170 °C
Ignition temperature	The product is not self-ignitable.



INCELO

Version 1 / GB
102000030357

8/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

Minimum ignition energy	Not applicable
Self-accelarating decomposition temperature (SADT)	No data available
pH	7.5 - 9.5 (1 %) (23 °C) (deionized water)
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Water solubility	dispersible
Partition coefficient: n-octanol/water	Mesosulfuron-methyl: log Pow: -0.48 Thiencarbazone-methyl: log Pow: -0.13 Mefenpyr-diethyl: log Pow: 3.83 (21 °C) Polyarylphenylether sulfate, ammonium salt: No data available
Vapour pressure	No data available
Density	No data available
Relative density	No data available
Bulk density	0.62 g/ml (loose)
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms

9.2 Other information

Explosivity	Not explosive Regulation (EC) No. 440/2008, Annex, A.14
Oxidizing properties	No oxidizing properties
Evaporation rate	Not applicable
Other physico-chemical properties	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
Self heating	not self-heating
10.2 Chemical stability	Stable under recommended storage conditions.



INCELO

Version 1 / GB
102000030357

9/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 (Rat) > 5,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 5.09 mg/l Exposure time: 4 h Determined in the form of a respirable fine dust. highest concentration tested
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit)
Serious eye damage/eye irritation	Irritating to eyes. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Mesosulfuron-methyl: Based on available data, the classification criteria are not met.
Thiocarbazon-methyl: Based on available data, the classification criteria are not met.
Mefenpyr-diethyl: Based on available data, the classification criteria are not met.
Polyarylphenylether sulfate, ammonium salt: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.
Thiocarbazon-methyl did not cause specific target organ toxicity in experimental animal studies.
Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.
Polyarylphenylether sulfate, ammonium salt: Based on available data, the classification criteria are not met.

Assessment mutagenicity

Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Thiocarbazon-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Polyarylphenylether sulfate, ammonium salt: This information is not available. Not mutagenic in Ames Test.

Assessment carcinogenicity



INCELO

Version 1 / GB
102000030357

10/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.
Thiencarbazon-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazon-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazon-methyl were caused through the chronic irritation due to the presence of bladder stones.
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.
Polyarylphenylether sulfate, ammonium salt: This information is not available.

Assessment toxicity to reproduction

Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.
Thiencarbazon-methyl did not cause reproductive toxicity in a two-generation study in rats.
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.
Polyarylphenylether sulfate, ammonium salt: This information is not available.

Assessment developmental toxicity

Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits.
Thiencarbazon-methyl did not cause developmental toxicity in rats and rabbits.
Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.
Polyarylphenylether sulfate, ammonium salt is not considered a developmental toxicant.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient mesosulfuron-methyl.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient thiencarbazon-methyl.

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.2 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient mefenpyr-diethyl.

LC50 (Cyprinus carpio (Carp)) 2.4 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient mefenpyr-diethyl.



INCELO

Version 1 / GB
102000030357

11/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) > 100 mg/l semi-static test; Exposure time: 48 h

Toxicity to aquatic plants ErC50 (Lemna gibba (gibbous duckweed)) 0.0183 mg/l semi-static test; Exposure time: 7 d
ErC50 (Raphidocelis subcapitata (freshwater green alga)) 52.9 mg/l Growth rate; Exposure time: 96 h

12.2 Persistence and degradability

Biodegradability Mesosulfuron-methyl:
Not rapidly biodegradable
Thiencarbazone-methyl:
Not rapidly biodegradable
Mefenpyr-diethyl:
Not rapidly biodegradable
Polyarylphenylether sulfate, ammonium salt:
Not readily biodegradable.

Koc Mesosulfuron-methyl: Koc: 92
Thiencarbazone-methyl: Koc: 100
Mefenpyr-diethyl: Koc: 625
Polyarylphenylether sulfate, ammonium salt: No data available

12.3 Bioaccumulative potential

Bioaccumulation Mesosulfuron-methyl:
Does not bioaccumulate.
Thiencarbazone-methyl:
Does not bioaccumulate.
Mefenpyr-diethyl: Bioconcentration factor (BCF) 232
Does not bioaccumulate.
Polyarylphenylether sulfate, ammonium salt:
No data available

12.4 Mobility in soil

Mobility in soil Mesosulfuron-methyl: Moderately mobile in soils
Thiencarbazone-methyl: Moderately mobile in soils
Mefenpyr-diethyl: Slightly mobile in soils
Polyarylphenylether sulfate, ammonium salt: No data available

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Polyarylphenylether sulfate, ammonium salt: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).



INCELO

Version 1 / GB
102000030357

12/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Triple rinse containers.
Do not re-use empty containers.
Not completely emptied packagings should be disposed of as hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MESOSULFURON-METHYL, THIENCARBAZONE-METHYL MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MESOSULFURON-METHYL, THIENCARBAZONE-METHYL MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA



INCELO

Version 1 / GB
102000030357

13/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MESOSULFURON-METHYL, THIENCARBAZONE-METHYL MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MESOSULFURON-METHYL, THIENCARBAZONE-METHYL MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991



INCELO

Version 1 / GB
102000030357

14/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail



INCELO

Version 1 / GB
102000030357

15/15

Revision Date: 12.12.2024
Print Date: 22.01.2025

SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 9: Physical and Chemical Properties. Section 11: Toxicological Information. Section 12. Ecological information. Section 13. Disposal considerations.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.